


## Marginal and Interaction Effects in Ordered Response Models

Debdulal Mallick

EERI Research Paper Series No 22/2009

ISSN: 2031-4892



**EERI**  
**Economics and Econometrics Research Institute**  
Avenue de Beaulieu  
1160 Brussels  
Belgium

Tel: +322 299 3523  
Fax: +322 299 3523  
[www.eeri.eu](http://www.eeri.eu)

# **Marginal and Interaction Effects in Ordered Response Models**

**Debdulal Mallick\***

**September 2009**

\*The author would like to acknowledge the helpful comments and assistance offered by Robert Chirinko, Chris Doucouliagos, Cong Pham, Randy Silvers and Mehmet Ulubasoglu. All errors and omissions are the sole responsibility of the author.

## **Marginal and Interaction Effects in Ordered Response Models**

### **Abstract**

In discrete choice models the marginal effect of a variable of interest that is interacted with another variable differs from the marginal effect of a variable that is not interacted with any variable. The magnitude of the interaction effect is also not equal to the marginal effect of the interaction term. I present consistent estimators of both marginal and interaction effects in ordered response models. This procedure is general and can easily be extended to other discrete choice models. I also provide an example using household survey data on food security in Bangladesh. Results show that marginal effects of interaction terms are estimated by standard statistical software (STATA<sup>®</sup> 10) with very large error and even with wrong sign.

**Keywords:** Marginal effect, interaction effect, ordered probit, discrete choice

**JEL Classification:** C12, C25

## Marginal and Interaction Effects in Ordered Response Models

### 1. Introduction

Marginal and interaction effects of variables are of immense interest in applied economics and other branches of social sciences. Inference on interaction terms in nonlinear models is different from that in linear models. This difference is particularly evident in the estimation of discrete choice models. Standard software (such as STATA<sup>®</sup> 10) incorrectly estimates the magnitude and standard error of the interaction term in nonlinear models. Ai and Norton (2003, p. 123) reviewed 13 economics journals listed on JSTOR and found that none of the 72 articles published between 1980 and 1999 that used interaction terms in nonlinear models interpreted the coefficient correctly. They also presented consistent estimators of the magnitude and standard error of the interaction effect in logit and probit models.

This paper shows that in ordered response models, the marginal effects of the variables that are interacted are different from the marginal effects of the variables that are not interacted. For example, suppose three independent variables,  $x_1$ ,  $x_2$  and  $x_3$  appear in an ordered probit (logit) model, and  $x_2$  and  $x_3$  are interacted (i.e.  $x_2 * x_3$  is included as an additional independent variable). The formula for the marginal effect of  $x_2$  (or  $x_3$ ) will be different from that of  $x_1$  because the former also involves the coefficient of the interaction term. Standard software does not also account for this effect and therefore incorrectly estimates the marginal effect and standard error of  $x_2$  (and  $x_3$ ). This result also applies to other discrete choice models including. I provide consistent estimators of the marginal effect and the magnitude of the interaction term in ordered response models. I also provide an example using household survey data on food security in Bangladesh. Results show that marginal effects of the variables interacted and of the interaction term are estimated by standard statistical software (STATA<sup>®</sup> 10) with very large error and even with wrong sign. This finding is therefore very important to the researchers in economics and other branches of social sciences who rely on standard software.

## 2. Estimation

Suppose, we have the following regression:  $y^* = \beta'x + \varepsilon$ , where  $y^*$  is the dependent variable but is unobserved. What is observed is the respondent's answer  $y$  which is related to  $y^*$  as:

$$y = j \quad \text{if} \quad \kappa_{j-1} < y^* \leq \kappa_j, \quad \text{--- (1)}$$

where  $j = 1, 2, \dots, J$  are the responses that are ordered in nature, and  $\kappa$ 's are  $(J - 1)$  unknown parameters known as *cut points* or *threshold parameters*. An example can be the responses when people are asked about their happiness. Assume, for simplicity and without loss of generality, that there are only three covariates ( $x_1$ ,  $x_2$  and  $x_3$ ) in the  $x$  vector, and all are continuous. Only  $x_2$  and  $x_3$  are interacted while  $x_1$  is not; therefore,  $\beta'x = \beta_1 x_1 + \beta_2 x_2 + \beta_3 x_3 + \beta_{23}(x_2 * x_3)$ . The  $\kappa$ 's and  $\beta' = (\beta_1, \beta_2, \beta_3, \beta_{23})$  are jointly estimated by the Maximum Likelihood method.

Assuming  $\varepsilon \sim N(0,1)$ , the probability for the  $j$ -th outcome is given by

$$\text{Prob}(y = j) = \Phi(\kappa_j - \beta'x) - \Phi(\kappa_{j-1} - \beta'x) \quad \text{--- (2)}$$

where  $\Phi$  is the cumulative standard normal (or logistic) distribution, which is continuous and twice differentiable.

### 2.1 Marginal effect

The marginal effect of  $x_1$  for the  $j$ -th response is given by

$$\delta_{1,j} = \frac{\partial \text{Prob}[y = j | \mathbf{x}]}{\partial x_1} = [\phi(\kappa_{j-1} - \beta'x) - \phi(\kappa_j - \beta'x)]\beta_1 = [\phi_{j-1}(\cdot) - \phi_j(\cdot)]\beta_1, \quad \text{--- (3)}$$

where  $\phi(\cdot)$  is the standard normal (logistic) density function. It determines how a change in  $x_1$  changes the distribution of the outcome variable, i.e. all outcome probabilities (Boes and Winkelmann, 2006, p. 169).<sup>1</sup>

---

<sup>1</sup> If  $x_1$  is a dummy variable such as gender then the marginal effect is computed as

However, the marginal effect of  $x_2$  for the  $j$ -th response will be different from that in equation (3) and is given by

$$\delta_{2,j} = \frac{\partial \text{Prob}[y=j|\mathbf{x}]}{\partial x_2} = \phi_{j-1}(\cdot)[\beta_2 + \beta_{23}x_3] - \phi_j(\cdot)[\beta_2 + \beta_{23}x_3]. \quad \text{--- (4)}$$

One obtains a similar expression for the marginal effect of  $x_3$ . The difference between the formulas in equations (3) and (4) is that the marginal effect of  $x_1$  in equation (3) is zero if the coefficient on  $x_1$  ( $\beta_1$ ) is zero, whereas the marginal effect of  $x_2$  (or  $x_3$ ) may be nonzero even if its coefficient is zero. This arises because the latter depends not only on  $x_2$  but also on the combined effect of  $x_2$  and  $x_3$ . However, if the coefficient of the interaction term ( $\beta_{23}$ ) is (close to) zero, then the marginal effects from equations (3) and (4) will be indistinguishable. To obtain the correct marginal effect of  $x_2$  (or  $x_3$ ), the formula in equation (4) must be estimated. Standard software estimates equation (3) to obtain marginal effects of all variables entering the model, which is clearly wrong.

## 2.2 Interaction effect

The magnitude of the interaction effect for the  $j$ -th response is obtained by computing the cross derivative of equation (2) or partial derivative of equation (4) with respect to  $x_3$ :

$$\delta_{23,j} = \frac{\partial^2 \text{Prob}[y=j|\mathbf{x}]}{\partial x_2 \partial x_3} = [\phi_{j-1}(\cdot) - \phi_j(\cdot)]\beta_{23} - [\beta_2 + \beta_{23}x_3][\beta_3 + \beta_{23}x_2][\phi'_{j-1}(\cdot) - \phi'_j(\cdot)], \quad \text{--- (5)}$$

where  $\phi'(\cdot)$  is the first derivative of the density function with respect to its argument. The right hand side of equation (5) shows that, even if the coefficient on the interaction term,  $\beta_{23}$ , is zero, the magnitude of the interaction effect can be nonzero because it also

---


$$\Delta \text{Prob}[y=j|\mathbf{x}] = \text{Prob}[y=j|\mathbf{x} + \Delta x_1] - \text{Prob}[y=j|\mathbf{x}].$$

depends on the individual coefficients on both  $x_2$  and  $x_3$ . Again, standard software estimates the marginal effect of the interaction term,

$$\frac{\partial \text{Prob}[y=j|\mathbf{x}]}{\partial(x_2 * x_3)} = [\phi_j(\cdot) - \phi_{j-1}(\cdot)]\beta_{23} \quad \text{----(6)}$$

which is different from the expression in equation (5). For a linear regression, these two terms will be the same.

To show the asymptomatic properties of the marginal and interaction effects, rewrite equation (2) as  $\text{Prob}(y=j) = F_j(\mathbf{x}, \beta)$ . Then the estimated values of marginal effects of  $x_1$  and  $x_2$ , and the interaction effect of  $x_2$  and  $x_3$  can be computed respectively as

$$\hat{\delta}_{1,j} = \frac{\partial F_j(\mathbf{x}, \hat{\beta})}{\partial x_1}, \quad \text{--- (7)}$$

$$\hat{\delta}_{2,j} = \frac{\partial F_j(\mathbf{x}, \hat{\beta})}{\partial x_2}, \quad \text{--- (8)}$$

$$\hat{\delta}_{23,j} = \frac{\partial^2 F_j(\mathbf{x}, \hat{\beta})}{\partial x_2 \partial x_3}, \quad \text{--- (9)}$$

where  $\hat{\beta}$  is consistent estimator of  $\beta$  computed by the Maximum Likelihood. The consistencies of  $\hat{\delta}_{1,j}$ ,  $\hat{\delta}_{2,j}$  and  $\hat{\delta}_{23,j}$  are ensured by the continuity of  $F_j$  and the consistency of  $\hat{\beta}$ . The asymptotic variances of  $\hat{\delta}_{1,j}$ ,  $\hat{\delta}_{2,j}$  and  $\hat{\delta}_{23,j}$  are consistently estimated by the “delta method”,<sup>2</sup>

$$\hat{\sigma}_{1,j}^2 = \frac{\partial}{\partial \beta'} \left[ \frac{\partial F_j(\mathbf{x}, \hat{\beta})}{\partial x_1} \right] \hat{\Omega}_{\beta} \frac{\partial}{\partial \beta} \left[ \frac{\partial F_j(\mathbf{x}, \hat{\beta})}{\partial x_1} \right], \quad \text{--- (10)}$$

---

<sup>2</sup> “Delta method” estimates the variance using a first-order Taylor approximation. It may provide poor approximation in non-linear functions. In such cases, a second-order Taylor approximation is suggested, and normal distribution is then replaced by a chi-square distribution. For details, see Spanos (1999, p. 493-494).

$$\hat{\sigma}_{2,j}^2 = \frac{\partial}{\partial \beta'} \left[ \frac{\partial F_j(\mathbf{x}, \hat{\beta})}{\partial x_2} \right] \hat{\Omega}_\beta \frac{\partial}{\partial \beta} \left[ \frac{\partial F_j(\mathbf{x}, \hat{\beta})}{\partial x_2} \right], \quad \text{--- (11)}$$

$$\text{and } \hat{\sigma}_{23,j}^2 = \frac{\partial}{\partial \beta'} \left[ \frac{\partial^2 F_j(\mathbf{x}, \hat{\beta})}{\partial x_2 \partial x_3} \right] \hat{\Omega}_\beta \frac{\partial}{\partial \beta} \left[ \frac{\partial^2 F_j(\mathbf{x}, \hat{\beta})}{\partial x_2 \partial x_3} \right] \quad \text{--- (12)}$$

respectively, where  $\hat{\Omega}_\beta$  is consistent covariance estimator of  $\hat{\beta}$ , and  $\hat{\delta}_{m,j} \sim N(\delta_{m,j}, \sigma_{m,j}^2)$ ,  $\forall m = 1, 2, \text{ and } 23$ , and  $j = 1, 2, \dots, J$ . The corresponding t-statistics are  $\hat{\delta}_{1,j} / \hat{\sigma}_{1,j}$ ,  $\hat{\delta}_{2,j} / \hat{\sigma}_{2,j}$  and  $\hat{\delta}_{23,j} / \hat{\sigma}_{23,j}$  respectively. Under some regularity conditions, these t-statistics have standard normal distributions. Individual hypothesis that marginal or interaction effect is zero can be tested using these t-statistics.

The marginal and interaction effects have different signs for different observations, but for the present purpose this issue can be avoided by assuming that the effects are evaluated at the mean value of  $\mathbf{x}$ . Ai and Norton (2003) provide an elegant discussion on this issue.

### 3. An example

In the following, I estimate an ordered probit model using household and village level survey data on food security in Bangladesh. Based on food production, availability, purchasing power and access to common resources, the respondents were asked to define the food security status of their households in any of the four categories—severe (chronic) food shortage, occasional (transitory) food shortage, breakeven, and food surplus. The independent variables are i) ownership of cultivable land (CULOWN), ii) percentage of household members engaged in income generating activities (IGA), and iii) interaction of the two variables (CULOWN\*IGA).<sup>3</sup> Both the correct and incorrect

---

<sup>3</sup> Other control variables which are not reported in results are age, gender, education and occupation of the household head, village level infrastructure, and dummies for different ethnic groups and regions.



marginal and interaction effects and their standard errors are reported in Table 1. For simplicity, I report the statistics only for transitory food insecurity category.

**Table 1: Marginal and interaction effects for the transitory food insecurity category (Dependent variable: 1 = chronic food insecurity, 2 = transitory food insecurity, 3 = breakeven, and 4 = food surplus)**

Independent variables	Coefficient	Marginal effect	
		Incorrect	Correct
CULOWN	3.665 (0.417)	0.032 (0.037) <sup>a</sup>	0.025 (0.002) <sup>b</sup>
IGA	32.297 (12.193)	0.282 (0.339) <sup>a</sup>	0.167 (0.098) <sup>b</sup>
		Magnitude of the interaction effect	
		Incorrect	Correct
CULOWN*IGA	-178.219 (84.751)	-1.558 (1.948) <sup>c</sup>	21.725 (14.151) <sup>d</sup>
Sample size = 2517			

Figures in the parentheses are robust standard errors.

a. using the incorrect formula in equation (3), b. using the correct formula in equation (4), c. using the incorrect formula in equation (6), d. using the correct formula in equation (5).

We see from the results that magnitudes of the marginal effects of the variables that are interacted (CULOWN and IGA) and their respective standard errors differ considerably in the correct and incorrect formulas. The magnitude of the interaction effect is also measured with very large error and even with wrong sign.

#### 4. Conclusion

The marginal effect in discrete choice models is complicated especially when variables are interacted. I present a consistent estimator of the marginal effect of a variable that is interacted with another variable in ordered response models. This estimator differs from the marginal effect of a variable that is not interacted. Standard software incorrectly estimates the latter marginal effect for an interacted variable. A consistent estimator of the interaction effect is also presented. The procedure is general and can easily be extended to other discrete choice models.

## **Reference**

Ai, C., Norton, E.C., 2003. Interaction Terms in Logit and Probit Models. *Economics Letters* 80 (1, July), 123-129.

Boes, S., Winkelmann, R., 2006. Ordered Response Models. *Allgemeines Statistisches Archiv* 90 (1, March), 167-181.

Spanos, Aris, 1999. *Probability Theory and Statistical Inference: Econometric Modeling with Observational Data*. Cambridge University Press, New York.